

MAPLE SELECT™

CHAMPIONSHIP-TESTED



Hardwood look and feel

Maple Select delivers the same look, squeak of the shoe and consistent ball bounce as a hardwood court.



SportGuard™

High Gloss finish with patented proprietary advanced surface technology provides an incredibly durable, factory-applied top coat that lasts for the life of your product and brings a new shine to your facility.



Moisture resistance

Excellent moisture resistance prevents water damage and surface issues caused by humidity, water problems or vapor emissions from concrete, while protecting the surface from fungi, bacteria and other organisms.



Ball response

Maple Select delivers the same dribbling response as a hardwood court unmatched by the industry.



Shock absorption

Maple Select surfaces are designed to absorb shock and prevent fatigue, concussions and injury. Plus, our patented Lateral Forgiveness™ provides protection against stress on knees and joints.



Proud to be the official court of the most demanding athletes in the world.™

*NCAA is a registered trademark of the National Collegiate Athletic Association.



Champions start here™


Why Maple Select™

LOW LIFE-CYCLE COSTS. Durable, easy-to-clean, and low-maintenance surfaces save you money in the long run. Everyday, you'll walk into your facility to see a court that looks brand new, no matter how long you've owned it!

MADE IN THE USA. High-impact polypropylene suspended court is engineered and manufactured at our Salt Lake City headquarters.

DURABILITY. Custom engineered design that outplays any modular surface in the industry – from the company with over a 40-year track record.

QUICK INSTALLATION. Maple Select courts can be installed by your local certified CourtBuilder™ quickly and efficiently without adhesives.



Size	9.842" x 9.842" x 0.5"	✓
Weight	.62 lbs.	✓
Head Impact ASTM 1292	11" drop height pass	✓
Traction ASTM E303	.70 coefficient of friction	✓
Ball Rebound DIN 18032	99% ball bounce	✓
Material	Modular—Polypropylene with SportGuard advanced surface technology	✓
Quality	ISO 9001 / ISO 14001	✓
Recycling	100% recyclable	✓
Country	USA made	✓
Load Capacity	200 psi	✓
Sanitary	Resistance to fungi, bacteria, and other organisms	✓
Moisture Resistance	Excellent	✓

Available colors



A Gerflor company

SPORTCOURTWA.COM
425-823-0461



RESPONSE HG™

CHAMPIONSHIP-TESTED



SportGuard™

High gloss with proprietary advanced surface technology provides an incredibly durable, factory-applied top coat that lasts for the life of your warranty and brings the best look to your facility.



Safety

Response HG surfaces are designed to absorb shock and prevent fatigue, concussions and injury. Plus, our patented Lateral Forgiveness™ provides protection against stress on knees and joints.



New Look and Feel

Never worry about paying to have your court refinished. Everyday, you'll walk into your facility to see a court that looks brand new, no matter how long you've owned it!



Real Wood Look

Upgrade to the top-of-the-line Maple Select™ for an attractive alternative to a hardwood court while retaining the feel of a maple surface. Splinters not included!



Easy to Clean

SportGuard creates a low maintenance, anti-scuff surface that can be easily cleaned with a dust mop or broom.



Proud to be the official court of the most demanding athletes in the world.™

*NCAA is a registered trademark of the National Collegiate Athletic Association.



Champions start here™


Why Response HG™

QUICK INSTALLATION. Response HG can be installed by your local certified CourtBuilder™ quickly and efficiently without adhesives.

LOW LIFE-CYCLE COSTS. Durable, easy-to-clean, and low-maintenance surfaces save you money in the long run.

USA-MADE QUALITY. High-impact polypropylene suspended court is engineered and manufactured at our Salt Lake City headquarters.

BALL RESPONSE. Response HG delivers the same ball response as a hardwood court while providing a comfortable and safe playing surface.



System Type	Modular—Polypropylene	<input checked="" type="checkbox"/>
Ball Bounce	99%	<input checked="" type="checkbox"/>
Load Capacity	200 psi	<input checked="" type="checkbox"/>
Coefficient of Friction	0.69 ASTM Standard E303	<input checked="" type="checkbox"/>
Shock Absorption	ASTM F 1292* 11" drop height pass	<input checked="" type="checkbox"/>
Moisture Resistance	Excellent	<input checked="" type="checkbox"/>
Sanitary	Resistance to fungi, bacteria, and other organisms	<input checked="" type="checkbox"/>
Tile Dimensions	9.842"x 9.842"x 0.5"	<input checked="" type="checkbox"/>
Weight	0.62 lbs. (280 g)	<input checked="" type="checkbox"/>

*Based on ASTM F 1292 test

Available colors



SPORTCOURTWA.COM
425-823-0461