

SYRACUSE CITY FIRE DEPARTMENT

Request for Proposal (RFP)

For: Fire Department Extrication Equipment

Introduction:

Syracuse City is requesting proposals for new Extrication Equipment for its Fire Department. Proposals shall include information concerning pricing, cost of ownership including detailed warranty description, and local, factory-authorized warranty service.

City Contact Information:

For purchasing questions: Stephen Marshall, Finance Director
801-614-9621
smarshall@syracuseut.com

For questions regarding this RFP: Aaron Byington, Fire Chief
801-614-9607
abyington@syracuseut.com

Proposal Requirements:

- Proposals shall reflect the best and most current information.
- Syracuse City reserves the right to have discussions with proposers prior to the deadline.
- Questions concerning this RFP must be submitted in writing to the above listed contact person.
- Proposals must be submitted on or before the due date. Proposals received after the due date will not be considered, and will be returned unopened to the proposer(s).
- Proposals will be accepted via mail, email or hand delivery. The City will not accept proposals via facsimile.
- Proposals must be clearly labeled with the wording Extrication Equipment on the exterior of the sealed envelope or email subject line, along with the identification of the individual or organization submitting the proposal.

- Mailed or hand delivered proposals shall consist of two (2) copies of your submission for review.
- The City reserves the right to cancel this RFP, to reject any or all proposals, to waive any formality or technicality, or to accept proposals deemed to be in the best interests of the City.
- Preparation and submittal of proposals are the sole risk and expense of the proposer. The City does not guarantee that any of the proposals shall be selected.

Proposals must be delivered to:

Syracuse City Fire Department
Sharlyn Reinhold, Administrative Assistant
1869 South 3000 West
Syracuse, Utah 84074
sreinhold@syracuseut.com

Proposals are due:

FEBRUARY 14, 2019

No later than 3:00 p.m. Mountain Daylight Time (MDT)

Opening of Proposals

Proposals, modifications, or corrections received after 3:00 p.m. (MDT) on the due date will be considered late and will not be opened. Facsimile transmitted proposals will not be considered.

If the City determines that it has not received a sufficient number of proposals, or if all proposals submitted are rejected, the purchasing manager, in consultation with the Fire Department, may re-solicit this RFP for the purpose of obtaining additional proposals.

Proposal opening will not be open to the public.

Proposal Selection

Proposals not meeting the specification will be disqualified.

Proposals will be selected based upon the following criteria:

- **Cost (33%)**
- **Warranty and Service (33%)**
 - The quality and length of warranty and service agreements, in relation to other proposals
- **Firefighter Testing (33%)**
 - Quality of products - based upon equipment testing previously conducted by Syracuse City firefighters for products from multiple vendors, which results have been transmitted to the Syracuse City Fire Chief for consideration in assessing these proposals.
 - Proposers who have not had their extrication equipment tested, and would like to do so, may make a request in writing to the above listed contact person prior to the RFP deadline.

Product Information and Quantities

QTY (1) Battery powered rescue cutting tool:

- The cutter shall meet or exceed NFPA 1936, 2015.
- The cutter shall have a minimum NFPA cutter rating of A8, B8, C8, D8, E8
- The cutter shall have a minimum IP rating of 54
- The minimum opening distance of the cutting jaws shall be no less than 7"
- The cutter shall include at least 2 batteries and 1 charger

QTY (1) Battery powered rescue spreading tool:

- The spreader shall meet or exceed NFPA 1936, 2015.
- The cutter shall have a minimum IP rating of 54
- The spreader shall have a maximum opening distance of at least 32 inches
- The spreader shall include at least 2 batteries and 1 charger

QTY (1) Battery powered rescue ram tool:

- The ram shall meet or exceed NFPA 1936, 2015.
- The ram shall have a minimum IP rating of 54
- The ram shall have a maximum opening distance of at least 40 inches
- The ram shall include at least 2 batteries and 1 charger

QTY (1) Alternate power supply:

- An alternate power supply cable, capable of powering the above described tools continuously from a 110v AC source.

Additional Items:

- Demo or refurbished units will be accepted if they are the most current manufacturer's model and are covered by the same warranty that a new unit has.
- Previously used or refurbished batteries will not be accepted.
- The proposal shall include operational training for all three (3) fire department shifts.
- The proposal shall include the annual cost of a service plan covering all above listed tools for the duration of the manufacturer's warranty.
- The proposal shall include warranty information for all above listed tools.
- The proposal shall include specification sheets for all tools submitted.
- The proposal shall consist of itemized costs of each tool and accessory.
- The proposal shall include all freight costs for delivery.
- The proposal shall include any manufacturer or dealer incentives.
- If the manufacturer offers more than one tool that meets the above specifications, please provide a separate bid price for the various packages.
- The proposal may include a "push" style ram rescue tool to be used in conjunction with a battery powered spreading tool.